

STM32 configuration and initialization C code generation

Data brief

Features


- Intuitive STM32 microcontroller selection
- Microcontroller graphical configuration:
 - Pinout with automatic conflict resolution
 - Clock tree with dynamic validation of configuration
 - Peripherals and middleware functional modes and initialization with dynamic validation of parameter constraints
 - Power sequence with estimate of consumption results
- C code project generation covering STM32 microcontroller initialization compliant with IAR™, Keil™ and GCC compilers.
- Available as a standalone software running on Windows®, Linux® and macOS® (Apple Inc. trademark registered in the U.S. and other countries) operating systems, or through Eclipse plug-in

Description

STM32CubeMX is part of STMicroelectronics STM32Cube™ original initiative to make developers' lives easier by reducing development effort, time and cost. STM32Cube covers the whole STM32 portfolio.

STM32Cube includes STM32CubeMX, a graphical software configuration tool that allows the generation of C initialization code using graphical wizards.

It also embeds a comprehensive software platform, delivered per Series (such as STM32CubeF4 for STM32F4 Series). This platform includes the STM32Cube HAL (an STM32 abstraction layer embedded software ensuring maximized portability across the STM32 portfolio), the STM32Cube LL (low-layer APIs, a fast, light-weight, expert-oriented layer), plus a consistent set of middleware components such as



RTOS, USB, TCP/IP and graphics. All the embedded software utilities are delivered with a full set of examples.

STM32CubeMX is a graphical tool that allows a very easy configuration of STM32 microcontrollers and the generation of the corresponding initialization C code through a step-by-step process.


Step one consists in selecting the STMicroelectronics STM32 microcontroller that matches the required set of peripherals.

The user must then configure each required embedded software thanks to a pinout-conflict solver, a clock-tree setting helper, a power-consumption calculator, and an utility performing MCU peripheral configuration (GPIO, USART, ..) and middleware stacks (USB, TCP/IP, ...).

Finally, the user launches the generation of the initialization C code based on the selected configuration. This code is ready to be used within several development environments. The user code is kept at the next code generation.



Figure 1. STM32Cube overview



Ordering Information

STM32CubeMX is available for free download from <http://www.st.com/stm32cubemx>.

Revision history

Table 1. Document revision history

Date	Revision	Changes
14-Feb-2014	1	Initial release.
19-Jun-2014	2	Updated Description and Figure 1: STM32Cube overview .
16-Jan-2015	3	STM32CubeMX extended to all STM32 series.
08-Feb-2016	4	Added Windows [®] and Linux [®] operating systems in Features . Removed mention of MicroXplorer tool in Description . Updated Figure 1: STM32Cube overview .
29-Apr-2016	5	Added OS X operating system.
28-Jun-2017	6	Add low-layer APIs. Replace OS X by macOS operating system. Updated Figure 1: STM32Cube overview
04-Jul-2017	7	The footnote on cover page related to macOS has been embedded in the list of features.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics – All rights reserved