

# ST25TB series

## Ticketing and RFID tags



### RFID tags with ISO14443-B RF interface, large and unique counting capability with anti-tearing feature and anti-collision mechanism

ST's ST25TB ICs provide RFID short range tags that enable transport passengers with fluid access to transportation. The embedded EEPROM memory density spans from 512 bit to 4 Kbit, covering a wide spectrum of applications including Brand protection and identification. The ST25TB series delivers state-of-the-art RF performance and offers a counter feature able to trig more than 4 billion of events.

#### KEY FEATURES


- ISO14443-2 Type B with Proprietary Protocol
- 13.56 MHz carrier frequency
- 512-bit, 2-K, and 4-K EEPROM with write protect
- 64-bit unique identifier
- 2 \* 32-bit counters
- Resettable OTP
- 120um Bumped wafer
- 68pF tuning capacitance
- 40 years data retention
- 1 million write erase cycles

#### KEY BENEFITS

- Wide memory density options
- High-reliability EEPROM
- Large and unique counting capability with anti-tearing feature
- Anti-collision mechanism
- Read or Write operations counter
- Dedicated version for Mass transit
- Antenna Class 1 to Class 6 support

#### KEY APPLICATIONS

- Public transportation
- Event ticketing
- Asset Tracking
- Brand protection
- Identification
- Maintenance, repair and operations



## DEVICE SUMMARY

Part number	RF interface	Memory size	Data protection	32 bit counter	Package	Comment
ST25TB512-AT6G6	ISO 14443B proprietary	512 bit	Yes	Yes	SBN12 <sup>(*)</sup>	Dedicated for ticketing
ST25TB512-AC6G6	ISO 14443B proprietary	512 bit	Yes	Yes	SBN12 <sup>(*)</sup>	
ST25TB02K-AC6G6	ISO 14443B proprietary	2 Kbit	Yes	Yes	SBN12 <sup>(*)</sup>	
ST25TB04K-AC6G6	ISO 14443B proprietary	4 Kbit	Yes	Yes	SBN12 <sup>(*)</sup>	

(\*) SBN12: Sawn and Bumped inkless wafer (die form), 120 µm thickness

## ECO-SYSTEM

Datasheet, user manual  
& application note



e2e community



Antenna Design Suite



Support eco-system

## TECHNICAL SUPPORT

The ST25TB tags family offers a simple and cost-effective implementation. ST can provide supporting material for integrating the antenna into your application: application notes, reference designs, antenna computation tools, e-presentations and e-learning.

Visit [www.st.com/st25tb](http://www.st.com/st25tb)



© STMicroelectronics - November 2016 - Printed in United Kingdom - All rights reserved  
The STMicroelectronics corporate logo is a registered trademark of the STMicroelectronics group of companies  
All other names are the property of their respective owners

