

Firmware for the STEVAL-DPSTPFC1 Totem Pole PFC with inrush current limiter

Applications & demonstrations	PFC regulation	PFC synchronization
Middleware	STM32CubeMX	
Hardware Abstraction	Hardware Abstraction Layer API	Board Support Package
Hardware	STM32F334	TN3050H-12WY
	SCTW35N65G2V	VIPER26LD
	STEVAL-DPSTPFC1	

Features

- Runs on [STM32F334](#) mixed-signal MCU with
 - High-resolution timer
 - Ultra-fast comparators and ADC
 - DSP and FPU
- Inrush current limitation without NTC
 - Inrush current reduction at board startup
 - SCR progressive phase control
 - Inrush current control for AC line dips
 - Adjustable SCR step turn-on delay reduction
- AC-DC rectifier mode
 - Power Factor Control (PFC)
 - DC bus regulation to 400 V_{DC}
 - Soft inrush current control
- Overcurrent and overvoltage protection
- AC line zero crossing synchronization via digital PLL
- Zero cross AC line voltage smart current spike control to reduce EMI

Description

The [STSW-DPSTPFC1FW](#) firmware allows controlling the [STEVAL-DPSTPFC1](#) 3.6 kW bridgeless totem pole boost circuit. It runs on the [STM32F334](#) microcontroller offering a high performance in terms of efficiency, THD, power factor and reliability by controlling the inrush current at board startup.

The firmware is ready to be used at first power on or immediately after a board reset event.

The [STSW-DPSTPFC1FW](#) provides an environment to configure and control parameters (SCR turn-on delay step, protection thresholds and current/voltage controller coefficients).

The firmware package is based on [STM32CubeMX](#) (v 4.22) and has been designed for IAR/EWARM workspace (version 7.70).

Product summary	
Firmware for STEVAL-DPSTPFC1 3.6 kW PFC totem pole	STSW-DPSTPFC1FW
3.6 kW PFC totem pole with inrush current limiter reference design using TN3050H-12WY and SCTW35N65G2V	STEVAL-DPSTPFC1
Mixed-signal MCU with DSP and FPU for digital power conversion applications	STM32F334
Applications	AC-DC Converters Industrial Power Supply Server and Telecom Power

Revision history

Table 1. Document revision history

Date	Version	Changes
11-Dec-2020	1	Initial release.
16-Dec-2020	2	Minor text changes.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics – All rights reserved