

USB to I²C evaluation board for interfacing wireless applications with PC GUI tool



Features

- Fully independent USB I²C bridge for communication between GUI and ST evaluation boards for wireless charging
- Standardized pinout for all ST wireless charging evaluation boards
- No additional programming
- I²C interface
- Output voltage from USB connector for DC powering of evaluation boards

Description

The **STEVAL-USBI2CFT** is an evaluation board based on the FT260Q. It is designed for communication and programming of all ST wireless charging evaluation boards and WLC ICs on custom design boards.

The **STEVAL-USBI2CFT** allows the quick start of Qi compatible wireless charging transmitter and receiver projects.

With the usage of a USB I²C bridge, the user can monitor and control the ST wireless charging evaluation boards using the **STSW-WPSTUDIO** graphical user interface (GUI).

The **STEVAL-USBI2CFT** board includes an internal level-shifter.

The voltage level can be changed soldering one of the soldering bridges.

The voltage can be set to 1.8, 2.5 or 3.3 V depending from what solder bridge was soldered.

Product summary	
USB to I ² C evaluation board for interfacing wireless applications with PC GUI tool	STEVAL-USBI2CFT
Supported wireless charging boards	STEVAL-WLC98RX/ STEVAL-WLC99RX/ STDES-WLC38WA/ STDES-WLC38TWS/ STDES-WBC86WTX
Graphical user interface for wireless power receiver and transmitter evaluation boards	STSW-WPSTUDIO
Applications	Wireless Chargers

1 Component layout

Figure 1. STEVAL-USBI2CFT PCB layout




Figure 2. STEVAL-USBI2CFT top layout






Figure 3. STEVAL-USBI2CFT bottom layout



2 Schematic diagrams

Figure 4. STEVAL-USBI2CFT circuit schematic



3 Board versions

Table 1. STEVAL-USBI2CFT versions

FG version	Schematic diagrams	Bill of materials
STEVAL\$USBI2CFTA ⁽¹⁾	STEVAL\$USBI2CFTA- schematic diagrams	STEVAL\$USBI2CFTA-bill of materials

1. This code identifies the STEVAL-USBI2CFT expansion board first version. It is printed on the board PCB.

Revision history

Table 2. Document revision history

Date	Revision	Changes
18-Sep-2023	1	Initial release.
10-Nov-2023	2	Updated description.

IMPORTANT NOTICE – READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgment.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2023 STMicroelectronics – All rights reserved