


## BlueNRG-1, BlueNRG-2 DK SW package



### Features

- Bluetooth® SMART SW package supporting BlueNRG-1 and BlueNRG-2 Bluetooth® low energy (BLE) systems-on-chip
- BlueNRG-1 Navigator and BlueNRG-2 Navigator PC applications
- BlueNRG-X Radio Initialization Parameters Wizard
- Bluetooth low energy stack binary library and APIs, events callbacks interface
- BlueNRG-1 and BlueNRG-2 Bluetooth low energy demonstration applications
- BlueNRG-1 and BlueNRG-2 CMSIS files
- BlueNRG-1 and BlueNRG-2 peripheral drivers and related examples
- BlueNRG-1, BlueNRG-2 2.4 GHz radio proprietary driver and examples
- BlueNRG-1 and BlueNRG-2 SDK and HAL drivers
- BlueNRG-1 and BlueNRG-2 kit platforms support

### Description

The STSW-BLUENRG1-DK evaluation SW package is based on the BlueNRG-1 and BlueNRG-2 very low power Bluetooth low energy (BLE) single-mode systems-on-chip with 160 KB and 256 KB of Flash memory, respectively, 24 KB of RAM, 32-bit core ARM® Cortex®-M0 and ADC, GPIOs, I<sup>2</sup>C, RTC, SPI, Timers, UART, WDG and RTC peripherals.

The STSW-BLUENRG1-DK SW package supports the BlueNRG-1 and BlueNRG-2 kit platforms available on relative web pages. It provides a Bluetooth low energy binary library with a complete set of APIs and related events callbacks allowing to interface with the Bluetooth low energy features offered by the BlueNRG-1 and BlueNRG-2 devices. The SW package also provides a set of BLE demonstration applications regarding some typical Bluetooth low energy working scenarios. Each demonstration application comes with a complete set of header and source files.

The STSW-BLUENRG1-DK SW package contains a complete set of peripheral drivers (header and source files), which allow to interface with the device peripherals (ADC, GPIOs, I<sup>2</sup>C, RTC, SPI, Timers, UART and WDG, RTC) and the Radio low level driver which provides access to the BlueNRG-1 2.4 GHz proprietary radio to send and receive packets without using the Bluetooth link layer.

The 2.4 GHz proprietary radio examples are built on top of the Radio Low level driver and can be used as reference examples for building other applications that use the BlueNRG-1 2.4 GHz proprietary radio.

The software package also includes BlueNRG-1 and BlueNRG-2 Navigator PC applications, which provide an interactive, simple and user-friendly interface to select and run demonstration applications for the resources available in the BlueNRG-1 and BlueNRG-2 DK SW packages, without the need for any extra hardware. The BlueNRG-1 and BlueNRG-2 Navigator are two instances of the same application tailored for the respective device, allowing access to the relative HW and SW kit resources available.

Another available PC application is the BlueNRG-X Radio Initialization Parameters Wizard that allows the definition of the proper values required for correct BlueNRG-1 and BlueNRG-2 BLE radio initialization, based on the specific user application scenario. A configuration header file, generated from the chosen parameter values, must then be used in the specific user software application folder.

Product summary	
BlueNRG-1, BlueNRG-2 DK SW package	STSW-BLUENRG1-DK
Bluetooth® low energy system-on-chip	BlueNRG-1
Bluetooth® low energy wireless system-on-chip	BlueNRG-2
Applications	Factory Automation Smart Farming Bluetooth Low Energy Mobility services Telematics and Networking

## Revision history

**Table 1. Document revision history**

Date	Version	Changes
24-Jun-2016	1	Initial release.
15-Jun-2017	2	Added references to: <ul style="list-style-type: none"> <li>• BlueNRG-2 device</li> <li>• BlueNRG-2 Navigator PC application</li> <li>• BlueNRG-1 Radio Initialization Parameters Wizard PC application</li> </ul>
08-Jun-2018	3	Added cover image. Removed references to BlueNRG-1 Flasher Utility.
20-Dec-2018	4	Updated cover image.
10-Mar-2020	5	Updated cover page image and product summary table. Added references to BlueNRG-X Radio Initialization Parameters Wizard.

**IMPORTANT NOTICE – PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to [www.st.com/trademarks](http://www.st.com/trademarks). All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics – All rights reserved