

## STM32 key generator software description

### Introduction

The STM32 key generator software (named STM32-KeyGen in this document) is integrated in the STM32CubeProgrammer (STM32CubeProg).

STM32-KeyGen is a tool that generates the ECC keys pair needed for signing binary images. The generated keys are used by the STM32 Signing tool for signing process.

STM32-KeyGen generates a public key file, a private key file, and a hash public key file.

The public key file contains the generated ECC public key in PEM format.

The private key file contains the encrypted ECC private key in PEM format. The encryption can be done using the aes 128 cbc or aes 256 cbc ciphers. The cipher selection is done using the --prvkey-enc option.

The hash public key file contains the SHA-256 hash of the public key in binary format. The SHA-256 hash is calculated based on the public key without any encoding format. The first byte of the public key is present just to indicate whether the public key is in compressed or uncompressed format. Since only uncompressed format is supported, this byte is removed.

This document applies to the products listed in the table below.

**Table 1. Applicable products**

Product type	Part number or product series
Microcontroller	STM32N6 series
Microprocessor	STM32MP1 and STM32MP2 series

In the following sections, STM32 refers to the products listed in the above table, unless otherwise stated.

## 1 Install STM32-KeyGen

---

This tool is installed with the STM32CubeProgrammer package ([STM32CubeProg](#)). For more information about the set-up procedure, refer to the section 1.2 of the user manual *STM32CubeProgrammer software description* (UM2237).

This software supports STM32 products based on the Arm® Cortex® processor.

*Note:* Arm is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.



## 2 STM32-KeyGen command line interface

The following sections describe how to use STM32-KeyGen from command line.

### 2.1 Commands

The available commands are listed below:

- `--private-key (-prvk)`
    - Description: private key file path (.pem extension)
    - Syntax: `-prvk <private_key_file_path>`
    - Example: `-prvk ../privateKey.pem`
  - `--public-key (-pubk)`
    - Description: Public key file path (.pem extension)
    - Syntax: `-pubk <public_key_file_path>`
    - Example: `-pubk C:\publicKey.pem`
  - `--public-key-hash (-hash)`
    - Description: Hash image file path (.bin extension)
    - Syntax: `-hash <hash_file_path>`
  - `--absolute-path (-abs)`
    - Description: Absolute path for output files
    - Syntax: `-abs <absolue_path_folder_path>`
    - Example: `-abs C:\KeyFolder\`
  - `--password (-pwd)`
    - Description: Password of the private key (this password must contain at least four characters)
    - Example: `-pwd azerty`
- Note:* **Include eight passwords to generate eight keypairs.**
- Syntax 1: `-pwd <Password>`
  - Syntax 2: `-pwd <Password1> <Password2> <Password3> <Password4> <Password5> <Password6> <Password7> <Password8>`
- `--prvkey-enc (-pe)`
    - Description: Encrypting private key algorithm (aes128/aes256) (aes256 algorithm is the default algorithm)
    - Syntax: `-pe aes128`
  - `--ecc-algo (-ecc)`
    - Description: ECC algorithm for keys generation (prime256v1/brainpoolP256t1/prime384v1/brainpoolP384t1) (prime256v1 is the default algorithm)
    - 1. P-256 NIST
    - 2. Brainpool 256
    - 3. P-384 NIST
    - 4. Brainpool 384
    - Syntax: `-ecc <value>`
    - Example: `-ecc 1`
  - `--help (-h and -?)`
    - Description: Shows help.
  - `--version (-v)`
    - Description: Displays the tool version.
  - `--number-key (-n)`
    - Description: Generate a number of key pairs {1 or 8} with Hash of table file
    - Syntax: `-n <number>`

## 2.2 Examples

The following examples show how to use STM32-KeyGen:

- **Example 1**

```
-abs /home/user/KeyFolder/ -pwd azerty
```

All files (publicKey.pem, privateKey.pem, and publicKeyhash.bin) are created in the /home/user/KeyFolder/ folder. The private key is encrypted with the aes256 default algorithm.

- **Example 2**

```
-abs /home/user/keyFolder/ -pwd azerty -pe aes128
```

All files (publicKey.pem, privateKey.pem, and publicKeyhash.bin) are created in the /home/user/KeyFolder/ folder. The private key is encrypted with the aes128 algorithm.

- **Example 3**

```
-pubk /home/user/public.pem -prvk /home/user/Folder1/Folder2/private.pem -hash  
/home/user/pubKeyHash.bin -pwd azerty
```

Even if the Folder1 and Folder2 do not exist, they are created.

- **Example 4**

Generate eight key pairs in the working directory:

```
./STM32_KeyGen_CLI.exe -abs . -pwd abc1 abc2 abc3 abc4 abc5 abc6 abc7 abc8 -n 8
```

The output gives the following files:

- Eight public key files: publicKey0x{0..7}.pem
- Eight private key files: privateKey0x{0..7}.pem
- Eight public key hash files: publicKeyHash0x{0..7}.bin
- One file of PKTH: publicKeysHashHashes.bin

- **Example 5**

Generate one key pair in the working directory:

```
./STM32_KeyGen_CLI.exe -abs . -pwd abc1 -n 1
```

The output gives the following files:

- One public key file: publicKey.pem
- One private key file: privateKey.pem
- One public key hash file: publicKeyHash.bin
- One file of PKTH: publicKeysHashHashes.bin

## 2.3 Standalone mode

When executing STM32-KeyGen in standalone mode, an absolute path and a password are requested as shown in the figure below.

**Figure 1. STM32-KeyGen in standalone mode**

```

C:\Windows\System32\cmd.exe

C:\Program Files\STMicroelectronics\STM32Cube\STM32CubeProgrammer_v2.18.0\bin>STM32_KeyGen_CLI.exe
-----
STM32 Key Generator v2.18.0
-----

STM32 Key Generator [Version v2.18.0] <'-' for help>
Copyright (c) 2022 STMicroelectronics. All rights reserved.
Interactive mode...
Please enter Path for output files :
<C:/STM32_KeyGen/>

Please select number of packets:
1. 1 keypair packet  2. 8 keypair packets (1/2)?
1
Generate 1 key packet !
Please enter Password
Please re-enter your Password
Please select algorithm: 1. prime256v1  2. brainpoolP256t1 3. prime384v1  4. brainpoolP384t1 (1/2/3/4)?
1
Please select encrypting algorithm: 1. aes256  2. aes128 (1/2)?
1
Prime256v1 curve is selected.
AES_256_cbc algorithm is selected for private key encryption
Generating Prime256v1 keys...
Private key PEM file created
Public key PEM file created
public key hash file created
Keys generated successfully.
+ public key: C:/STM32_KeyGen/\publicKey.pem
+ private key: C:/STM32_KeyGen/\privateKey.pem
+ public hash key: C:/STM32_KeyGen/\publicKeyhash.bin
  
```

When the user presses <Enter>, the files are generated in the <C:\Users\User\_Name\STM32AP\_KeyGen> folder.

Then enter the password twice and select one of the two algorithms (prime256v1 or brainpoolP256t1) by pressing the respective key (1 or 2).

Finally select an encrypting algorithm (aes256 or aes128) by pressing the respective key (1 or 2).

## Revision history

**Table 2. Document revision history**

Date	Version	Changes
14-Feb-2019	1	Initial release.
24-Nov-2021	2	Updated: <ul style="list-style-type: none"> <li>• <a href="#">Section 2.1: Commands</a></li> <li>• <a href="#">Section 2.2: Examples</a></li> </ul>
26-Jun-2024	3	Replaced in the whole document: <ul style="list-style-type: none"> <li>• STM32MP1 series by STM32MPx series</li> <li>• STM32MP1-KeyGen by STM32MP-KeyGen</li> </ul>
14-Nov-2024	4	Added: <ul style="list-style-type: none"> <li>• STM32N6 series to applicable products</li> </ul> Replaced in the whole document: <ul style="list-style-type: none"> <li>• STM32MP by STM32</li> </ul> Updated: <ul style="list-style-type: none"> <li>• <a href="#">Section 2.1: Commands</a></li> </ul>

---

## Contents

<b>1</b>	<b>Install STM32-KeyGen .....</b>	<b>2</b>
<b>2</b>	<b>STM32-KeyGen command line interface.....</b>	<b>3</b>
<b>2.1</b>	<b>Commands.....</b>	<b>3</b>
<b>2.2</b>	<b>Examples.....</b>	<b>4</b>
<b>2.3</b>	<b>Standalone mode .....</b>	<b>5</b>
	<b>Revision history .....</b>	<b>6</b>

**IMPORTANT NOTICE – READ CAREFULLY**

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgment.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, refer to [www.st.com/trademarks](http://www.st.com/trademarks). All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2024 STMicroelectronics – All rights reserved