



## Materials Declaration Form

<b>IPC Form Type *</b>	1752 Distribute	<b>Version</b>	2
<b>Sectionals *</b>	Material Info Manufacturing Info	<b>Subsectionals *</b>	A-D <i>* : Required Field</i>

Supplier Information			
<b>Company Name *</b>	STMicroelectronics	<b>Response Date *</b>	2018-10-02
<b>Company Unique ID</b>	NL 008751171B01		
<b>Contact Name *</b>	Refer to Supplier Comment section		Refer to Supplier Comment section
<b>Contact Phone *</b>	Refer to Supplier Comment section	<b>Contact Email *</b>	Refer to Supplier Comment section
<b>Authorized Representative *</b>	Giovanni Giacopello	<b>Representative Title</b>	ADG MD Champion
<b>Representative Phone *</b>	Refer to Supplier Comment section	<b>Representative Email *</b>	Refer to Supplier Comment section
<b>Supplier Comment</b>	Online Technical Support - STMicroelectronics : <a href="http://www.st.com/web/en/support/support.html">http://www.st.com/web/en/support/support.html</a>		

**Uncertainty Statement**


While STMicroelectronics has endeavored to provide information which is accurate and up to date, this document and its contents are provided on a strict 'as is' and 'as available' basis. STMicroelectronics disclaims all warranties, express or implied related to this document and its contents, including but not limited to implied warranties of completeness, truth, accuracy, merchantability, fitness for a particular purpose and non-infringement. ST shall have no responsibility and assumes no liability for any cost, loss or damage of any kind which could arise, directly or indirectly, from the use or inability to use this document and/or its contents.

Legal Statement		
<b>Supplier Acceptance *</b>	true	<b>Legal Declaration *</b>
		Standard

**Legal Statement**

Supplier certifies that it gathered the provided information and such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form.

Product				
Mfr Item Number	Mfr Item Name	Version	Mfr Site	Date
SMA6F8.5AY	AHC5*YFU010D	A	64BA	2018-10-02
	Amount	UoM	Unit type	ST ECOPACK Grade
	39.00	mg	Each	ECOPACK2
	Comment	ECOPACK® 2 is STMicroelectronics trade name for ROHS compliant device without Brominated and Chlorinated compound (900ppm) and without Antimony oxide flame retardant ( in each organic material)		

Manufacturing information				
J-STD-020 MSL Rating	Classification Temp	Nbr of Reflow Cycles		 life.augmented
1	260	3		
bulk Solder Termination	Terminal Plating	Terminal Base Alloy	Comment	
NA	Tin (Sn), matte	Copper Alloy		

Package Designator	Size	Nbr of instances	Shape	
CHP	4.14-2.76-1.94	2	Flat	
Comment	SMA Flat 2 Leads No exposed pad			

QueryList : RoHS Directive 2011/65/EU-July 2011 – Annex II amended by Directive 2015/863-March 2015	
Query	Response
1 - Product(s) meets EU RoHS requirement without any exemptions	FALSE
2 - Product(s) meets EU RoHS requirements except lead in solder and this usage may qualify under the lead in solder '7b' exemption (other selected exemptions may apply)	FALSE
3 - Product(s) meets EU RoHS requirements by application of the selected exemption(s)	TRUE
4 - Product(s) does not meet EU RoHS requirements and is not under exemptions	FALSE
Exemption Id.	Description
7a	Lead in high melting temperature type solders (i.e. lead- based alloys containing 85 % by weight or more lead)

QueryList : ELV directive : 2000/53/EC amended 2017/2096 _November 2017	
Query	Response
1 - Product(s) meets EU ELV requirements without any exemptions	FALSE
2 - Product(s) meets EU RoHS requirements by application of the selected exemption(s)	TRUE
Exemption Id.	Description
8e	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)

QueryList : California Prop65 list, dated 25th May 2018			
Query			Response
1 - The product does not contain identified substance from California Prop 65 List, no exposure to consumers is foreseen			FALSE
2 - The product is containing below substance(s) from California Prop 65 List, no exposure to consumers is foreseen			TRUE
Substance	amount in product (mg)	Application	ppm in product
Nickel	0.02	Die	436
Lead	1.43	Soft solder	36667

QueryList : REACH-27th June 2018				
Query				Response
1 - Product(s) does not contain REACH Substances Of Very High Concern above the limits per the definition within REACH				FALSE
CategoryLevel_Name	CategoryLevel_Threshold	amount in product (mg)	Application	ppm in product
Lead	1000 ppm	1.43		36667
2 - Product(s) does not contain REACH Substances Of Very High Concern in any Embedded article nor Homogeneous Material above the limits per the definition within REACH				FALSE
CategoryLevel_Name	CategoryLevel_Threshold	Amount in Embedded Article / Homogeneous Material (mg)	Application - Article / Homogeneous Material	ppm in Article /Homogeneous Material
Lead	1000 ppm	1.43	Soft solder	924968

Material Composition Declaration : note : Substance present with less 0.001mg will not be declared in this document						Mfr Item Name	AHC5*YFU010D					
Homogeneous Material	Material Group	Mass	UoM	Level	Substance Category	Substance	CAS	Exempt	Mass	UoM	Concentration in homogeneous material (ppm)	Concentration in product (ppm)
Die	M-011 Other inorganic materials	1.336	mg	supplier	die	Silicon (Si)	7440-21-3		1.258	mg	941617	32256
				supplier	metallization	Aluminium (Al)	7429-90-5		0.009	mg	6737	231
				supplier	metallization	Gold (Au)	7440-57-5		0.007	mg	5240	179
				supplier	metallization	Nickel (Ni)	7440-02-0		0.007	mg	5240	179
				supplier	Passivation	Silicon Oxide	7631-86-9		0.009	mg	6737	231
				supplier	back side metallization	Aluminium (Al)	7429-90-5		0.006	mg	4491	154
				supplier	back side metallization	Gold (Au)	7440-57-5		0.002	mg	1495	51
				supplier	back side metallization	Nickel (Ni)	7440-02-0		0.010	mg	7485	256
				supplier	polymer die coating	Durimide	Proprietary		0.028	mg	20958	718
				supplier	alloy	Copper (Cu)	7440-50-8		12.799	mg	998674	328179
Leadframe	M-004 Copper and its alloys	12.816	mg	supplier	alloy	Iron (Fe)	7439-89-6		0.013	mg	1014	333
				supplier	alloy	Iron Phosphide (FeP)	26508-33-8		0.004	mg	312	103
				supplier	solder	Lead (Pb)	7439-92-1	7a-Lead in high mel	1.430	mg	924968	36667
Soft solder	Solder	1.546	mg	supplier	solder	Tin (Sn)	7440-31-5		0.039	mg	25226	1000
				supplier	solder	Silver (Ag)	7440-22-4		0.077	mg	49806	1974
				supplier	solder	Amorphous Silica	7631-86-9		17.801	mg	885005	456436
Encapsulation	M-011 Other inorganic materials	20.114	mg	supplier	mold compound	Epoxy resin	29690-82-2		1.207	mg	60008	30949
				supplier	mold compound	Phenol resin	9003-35-4		0.905	mg	44994	23205
				supplier	mold compound	Carbon black	1333-86-4		0.081	mg	4026	2077
				supplier	mold compound	Magnesium oxide	1309-48-4		0.040	mg	1989	1026
				supplier	mold compound	Aluminium hydroxide	21645-51-2		0.040	mg	1989	1026
				supplier	mold compound	Mercaptopropyl trimethoxysilane	4420-74-0		0.040	mg	1989	1026
				supplier	solder alloy	Tin (Sn)	7440-31-5		0.020	mg	1000000	513
connections coating	Solder	0.020	mg	supplier	solder alloy	Copper (Cu)	7440-50-8		3.165	mg	999053	81154
Clip	M-004 Copper and its alloys	3.168	mg	supplier	alloy	CopperPhosphorous (CuP)	12517-41-8		0.003	mg	947	77